

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Lin Ye
YOSHINOBU SHIRAIWA, ET AL.	)	
	:	Group Art Unit: 2622
Appl. No.: 09/697,315	)	
	:	Confirmation No.: 7562
Filed: October 27, 2000	)	
	:	
For: IMAGE PROCESSING APPARATUS	)	
AND METHOD	:	
	)	
Patent No.: 7,098,944 B1	:	
	)	
Issued: August 29, 2006	:	June 25, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050) is enclosed.

The \$100.00 fee for the Certificate of Correction is being paid electronically. However, the Commissioner is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Daniel S. Glueck/  
Daniel S. Glueck  
Attorney for Patentees  
Registration No. 37,838

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

DSG:cyyw

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,098,944 B1

DATED : August 29, 2006

INVENTOR(S) : YOSHINOBU SHIRAIWA, ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

Sheet No. 2, Figure 3, Item 32, "PARAMEETER" should read --PARAMETER--.  
Sheet No. 9, Figure 11, Item S30, "DTA" should read --DATA--.

COLUMN 13:

Line 43, "Cr," should read --Gr,--.

COLUMN 15:

Line 19, "Cy," should read --Cy'--.  
Line 20, "Cy," should read --Cy'--.  
Line 21, "Cy," should read --Cy'--.

COLUMN 16:

Line 47, "determining-selecting" should read --determining selecting--.  
Line 52, "determining-selecting" should read --determining selecting--.

COLUMN 17:

Line 25, "embodiment" should read --embodiments--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,098,944 B1

No. of add'l. copies  
@ 30¢ per page

Staple  
Here  
Only!

PRINTERS TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,098,944 B1

DATED : August 29, 2006

INVENTOR(S) : YOSHINOBU SHIRAIWA, ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 23:

Line 3, "in" should read --in the--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,098,944 B1

No. of add'l. copies  
@ 30¢ per page

